

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

62.31

LIBRARY
RECEIVED
★ JAN 27 1933 ★

U. S. Department of Agriculture

1933

Wild Flowers

Ferns and Shrubs of Western Kentucky

Condition of soil, moisture, and light are given as found naturally, and if followed approximately will give the best results.

Prices: A uniform price of 25c each, or \$2.00 per dozen, unless otherwise noted. Orders amounting to \$2.50 or more (except for shrubs) prepaid anywhere in U. S. A. Smaller orders should be accompanied by 10 per cent. for postage.

MISS EFFIE RUNNER

RICHELIEU, KY.

Actea Alba (White Baneberry) 1 to 2 ft. Shade. Sandy loam.

Anemone Thalictroides (Rue Anemone). Clusters of white flowers. Acid soil, shade.

Apios Tuberosa (Wild Bean). Climbing Vine, 4 to 5 feet. Lowland. Maroon flowers.

Aquilegia Canadensis (Wild Columbine). Reddish outside, yellow within. Moist sandy loam. A rock plant, 35c.

Aristolchia Macrophylla (Dutchman's Pipe Vine), 10 to 40 ft. Dull greenish yellow. Woods loam.

Aoclepias Tuberosa (Butterfly Weed). Red or orange. Full sun, 35c.

Arisema Triphyllum (Jack-In-the Pulpit). Shade. Best in moist loam.

Asarum Canadense (Wild Ginger) Good bedding plant. Flower, dull maroon. Shade.

Claytonia Virginica (Spring Beauty). Sand loam, partial shade.

Chamalirium Luteum (Fairy Wand). Spike of feathery white flowers. Shade, sandy loam, 35c.

Delphinium (Wild Larkspur). Violet blue. Lowland.

Dentaria Diphylla (Crinkle Root or Tooth-Wart). Rich woods, early, white. *D. Laciniata*, cut tooth-wart, pink or white.

Dodecatheon Media (Shooting Star), 12 to 15 inches, moist sandy loam. Nodding white flower. Very attractive, 40c.

Erythronium Americanum (Dog's Tooth, Violet, Fawn Lily). Moist loam, shade, yellow.

Eupatorium Agertoides, 2 to 3 ft; heads of handsome pure white flowers.

Geranium Maculatum (Crane's Bill). Hilly slopes; pinkish lavender. Early.

Hepatica Triloba. Very early, white or pink. Moist woodsy soil. Shade.

Houstonia Coerulea (Bluets, Quaker Ladies). Dainty little plants. Acid soil. April to May. Clump 20c.

Hymenocallis Occidentalis. Sometimes called Spider Lily, but really an *Amaryllis*. Large, white flower. Sandy loam. Bulbs 50c and 30c.

Iris Cristata (Crested Iris). Shade or partial sun. Sandy soil. Lavender 25c. Deep blue 35c. Slightly tinted 35c.

Mertensia Virginica (Blue-Bells). Flower clusters blue, pink in the bud. Shade. Rich sand loam.

Mitchella Repens (Partridge Berry). Trailing evergreen plant. Flower, white within, pinkish outside. Shade.

Orchid *Aplectrums* (Adam and Eve). Evergreen leaf, crimson underneath, solid bulb, one each year. Good for bedding.

Penstemon (Unidentified) 2 to 3 feet. Pinkish lavender, also deeper lavender type, 35c.

Polygonatum Biflorum (Solomon's Seal). Shade; loamy soil.

Phlox Divaricata (Wild Sweet William). 9 to 18 inches. Sandy loam. Pink or lavender, sometimes blue.

Phlox Paniculata, 2 to 4 feet. Large panicles of pink flowers. Moist loam.

Polemonium Reptans. Fern like foliage; bell-shaped blue flowers. Moist gravelly loam, 40c.

Saxifrage (Unidentified). Clusters of small white flowers in early spring. Rocky cliffs. Moist. Good for walls.

Sedum Ternatum. Spreading and rooting stems. Triangular sprays of pinkish blooms. Lowlands.

Senecio Aureus (Golden Ragwort). Bright yellow clusters of flowers. Moist loam.

Silene Virginica (Fire Pink). Crimson. Open woods, 30c.

Smilacina Racemosa (Wild Spikenard). Terminal clusters of feathery white flowers. Red berries in fall. Woods loam.

Spigelia Marilandica (Pink Root). Corolla red outside, yellow within. Shade. Limy soil.

Trillium Erectum (Wake Robin). Purplish red. Moist woodland.

Viola Palmata. *Viola Scabrinucula*, smooth yellow. *Viola*, white, each 15c. Dozen \$1.00.

FERNS

Adiantum Pedatum (Maiden Hair). Shade. Deep rich soil of gravel and leaf mold. 35c.

Asplenium Acrostichoides (Silvery Spleenwort). Rich gravelly soil, but indifferent as to acid. 50c.

Asplenium Agustifolium (Narrow Leaved Spleenwort) 2 to 4 ft. Circumneutral soil. 50c.

Asplenium Platyneuron (Ebony

Spleenwart). Rather indifferent as to soil. Fine for rock gardens. 25c.

Asplenium Felix Femina (Lady Fern). Stems pink or dark red. Any good soil. Another form of this has green stems. Either form for 30c.

Onoclea Sensibilis (Sensitive Fern) 1 to 2 ft. Moist sandy soil. 25c.

Phegopteris Polypodioides (Long Beech). Sandy leaf mold. Do not plant too deeply. 25c.

Polystichum Acrostichoides (Christmas Fern). Any good soil, but prefers moist sandy loam and shade. 25c.

Variety *Incisum* of the above. A larger, more deeply pinnate fern and rather rare. 35c.

SHRUBS

Mailing size of any of the following, 50c each:

Benzoin Aestivale (Spice Bush).

Ceris Canadensis (Red Bud or Judas Tree).

Cornus Florida (Flowering Dogwood).

Corylus Americana (Hazelnut).

Rosa Species (Pink Wild Rose).

Rosa Species (Dwarf, Pale Pink).

Sambucus Canadensis (Elder).

Viburnum (Arrow Wood).

Wild *Hydrangea* (Unidentified).

Plants and Bulbs other than native:

Belamcanda Chinensis (Blackberry Lily). An iris like plant. Small orange colored flowers. Sun. Limy soil. 25c.

Dicentra Spectabilis (Bleeding Heart). A beautiful, early bloomer. Rich loam. 35c.

Dicentra Cucullaria (Dutchman's Breeches). A dainty little early flower. Likes an eastern slope, sandy loam. Each 10c. Dozen \$1.00.

Hyacinths, white, 15c.

Hyacinths, Pink, 20c.

Hyacinths, Blue, 10c.

Iris Pumila (Dwarf Iris). Very early. Deep violet. 25c.

Lilium Tigrinum (Old Fashioned Tiger Lily). A favorite in many gardens. 25c.

Violets, sweet scented. If protected will bloom from November until May. Each 10c or Doz. \$1.00.

Western Bleeding Heart. Fern like foliage, purplish pink, heart shaped flower. From the Pacific Coast. 25c.